

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	370/331.ccls. and 370/229.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:09
S2	10	370/331.ccls. and 370/230.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:24
S3	4	370/331.ccls. and 370/235.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:08
S4	5	370/332.ccls. and 370/229.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:08
S5	7	370/332.ccls. and 370/230.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:08
S6	3	370/332.ccls. and 370/235.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:08
S7	399	(RNC or (radio adj network adj control\$3) or MSC or (mobil\$1 adj switch\$3 adj center)) same (first adj2 (BS or (base adj station))) same (second adj2 (BS or (base adj station)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:11
S8	136	S7.bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:16
S9	10	S8 and ( ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:14
S10	14	S8 and ( (second adj2 (BS or (base adj station))) near5 (stor\$3 or capacity or memory or buffer or register or queue or FIFO) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:17

## EAST Search History

S11	508	370/331.ccls. and ( (BS or BTS or (base adj2 station) ) near5 (stor\$3 or capacity or memory or buffer or register or queue or FIFO) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:35
S12	431	370/331.ccls. and ( (BS or BTS or (base adj2 station) ) near5 (stor\$3 or memory or buffer or register or queue or FIFO) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:25
S13	139	370/331.ccls. and ( (BS or BTS or (base adj2 station) ) near5 (stor\$3 or memory or buffer or register or queue or FIFO) ).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:25
S14	122	S13 and (first same second)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:26
S15	63	S13 and (@pd<"20020829" or @rlad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:55
S16	45	370/229.ccls. and ( (BS or BTS or (base adj2 station) ) near5 (stor\$3 or memory or buffer or register or queue or FIFO) ).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:56
S17	431	370/229.ccls. and ( ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:56
S18	27	370/229.ccls. and ( ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO)) with (BS or BTS or (base adj2 station) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 10:59
S19	69	370/229.ccls. and ( ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO)) with (BS or BTS or (base adj2 station) or node)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/15 11:43

## EAST Search History

S20	1550	( ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO) with (BS or BTS or (base adj2 station) ))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/16 15:50
S21	2480	( (((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO) with (threshold or limit or maximum or max))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/16 15:46
S22	527	S21 and (overflow or (over adj flow) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 10:36
S23	192	S21 and (overflow or (over adj flow) ).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/16 15:49
S24	11	( (((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message)) with (stor\$3 or capacity or memory or buffer or register or queue or FIFO) with (BS or BTS or (base adj2 station)) with (threshold or limit or maximum or max) ) and (overflow or (over adj flow) ).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/16 15:58
S29	620	(overflow or (over adj flow) ) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 10:38
S30	23	(overflow or (over adj flow) ) same (BS or BTS or (base adj2 station)) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 10:45

## EAST Search History

S31	386	( (overflow or (over adj flow) ) near5 (buffer or queue or register or memory or stor\$3) ) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 10:48
S32	386	( ( (overflow or (over adj flow) ) near5 (buffer or queue or register or memory or stor\$3) ) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)) ) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 10:49
S33	65	( ( (overflow or (over adj flow) ) near5 (buffer or queue or register or memory or stor\$3) ) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)) ) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)).ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 14:11
S34	1	10/648097	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:06
S36	1	"20020067706"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:06
S37	4	("2002/0067706").URPN.	USPAT	OR	ON	2007/05/17 15:06
S38	562	(already near2 received) same ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:14
S39	43	S38 and ( (hand adj over) (hand adj off) handover handoff)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:33

## EAST Search History

S40	294	S38 and (@pd<"20020829" or @rlad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:33
S41	3	370/229.ccls. and ( (hand adj over) (hand adj off) handover handoff).ab. and (@pd<"20020829" or @rlad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:36
S42	3	370/230.ccls. and ( (hand adj over) (hand adj off) handover handoff).ab. and (@pd<"20020829" or @rlad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:38
S43	53	370/331.ccls. and ( ((delet\$3 or drop\$3 or discard\$3 or remov\$4 or dispos\$4) near5 (frame or packet or cell or PDU or message or fragment or segment)) same (stor\$4 or memory or buffer or register or queue or FIFO) ) and (@pd<"20020829" or @rlad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/17 15:42